

Literature Distraction

a) Horizontal, mandibular Distraction

1) Ilizarov, G.A.

Basic principles of transosseous compression and distraction osteosynthesis
Ortop Travmatol Protez 32 (1971) 7-15

2) Ilizarov, G.A.

The Principles of the Ilizarov Method.
Bull. Hospital Joint Dis. Orthop. Inst. 48, 1 (1988)

3) Ilizarov, G.A.

The tension-stress effect on the genesis and growth of tissues: part I. The influence of stability of fixation and soft tissue preservation.
Clin. Orthop. 238 (1989a) 249-281

4) Ilizarov, G.A.

The tension-stress effect on the genesis and growth of tissues: part II. The influence of the rate and frequency of distraction.
Clin. Orthop. 239 (1989b) 263-285

5) Klein, C., Howaldt, H.P.

Lengthening of the Hypoplastic Mandible by Gradual Distraction in Childhood –
A Preliminary Report.
J. Craniomaxillofac. Surg. 23 (2); 68-74, 1995

6) McCarthy, J.G., Schreiber, J., Karp, N., Thorne, C.H., Grayson, B.H.

Lengthening the human mandible by gradual Distraction.
Plast. Reconstr. Surg. 89 (1992) 1

7) Molina F., Ortiz-Monasterio, F.

Mandibular Elongation and Remodeling by Distraction:
A Farewell to Major Osteotomies.
Plast. Reconstr. Surg. 96 (4), 825-40 (1995)

8) Snyder, C.C., Levine, G.A., Swanson, H.M.

Mandibular lengthening by gradual distraction: Preliminary report.
Plast. Reconstr. Surg. 51 (1973) 506-508

9) Wangerin, K., Gropp, H.

Die enorale Distraktionsosteotomie des mikrogenen Unterkiefers zur Beseitigung der Atemwegsobstruktion.
Dtsch. Z Mund Kiefer Gesichtschir. 18, 239 (1994)

New Literature

- 1) Chris Howlett, Mary F. Stavrapoulos, Barry Steinberg
Feeding Complications in a six-week-old infant secondary to Distraction Osteogenesis for Airway Obstruction: A Case Report
American Association of Oral and Maxillofacial Surgeons, 1999
p. 2278 – 2391 / 99 /
- 2) Alvaro A. Figueroa, John W. Polley
Mandibular Distraction Osteogenesis
Operative Techniques in Otolaryngology – Head and Neck Surgery, Vol. 13, 2002,
p. 17 – 28
- 3) Thomas Hierl, Alexander Hemprich
Endoscopically assisted intraoral mandibular distraction osteogenesis
International Association of Oral and Maxillofacial Surgeons, 2001, p. 339 –341
- 4) David A. Walker
Management of Severe Mandibular Retrognathia in the Adult using Distraction Osteogenesis.
American Associations of Oral and Maxillofacial Surgeons, 2002, p. 1341-1346
- 5) C. d' Hauthuille, F. Taha, B. Devauchelle, S. Testelin
Comparison of two computer-assisted surgery techniques to guide a mandibular distraction osteogenesis procedure – A technical note
International Association of Oral and Maxillofacial Surgeons, 2005, p. 197-201
- 6) Pamela R. Hanson
Treatment planning and orthodontic management of patients undergoing mandibular distraction osteogenesis
In: M. L. Samchukov, J.B. Cope, A.B. Cheraskin: Craniofacial Distraction Osteogenesis, 2001, p. 156 – 167
- 7) R. Chingurapati, J. Massie, P. Dargaville, A. Heggie
Internal Mandibular Distraction to relieve airway obstructions in infants and young children with micrognathia
Pediatric Pulmonology 37/2004, p. 230 – 235
- 8) W. Losken
Planning of mandibular distraction
In: M. L. Samchukov, J.B. Cope, A.B. Cheraskin: Craniofacial Distraction Osteogenesis, 2001, p. 168 – 175
- 9) A. Rachmiel, D. Aizenbud, G. Pillar, S. Srouji, M. Peled
Bilateral mandibular distraction for patients with compromised airway analysed by three-dimensional CT
International Journal of Oral and Maxillofacial Surgery, 34, p. 9 – 18
- 10) P.J. van Strijen, K.H. Breuning, A. G. Becking, D.B. Tuinzing
Stability after distraction osteogenesis to lengthen the mandible:
Results in 50 patients
American Association of Oral and Maxillofacial Surgery 62-2004, p. 304 - 307

b) Distraction of the Midface

German:

1) P. Kessler, F. Kloss, U. Hirschfelder, F. W. Neukam, J. Wiltfang
Osteodistraktion im Mittelgesicht, Indikation, Technik und erste Langzeitergebnisse,
DFZ 2/2004, S. 1-6

2) T. Hierl N. Klisch, R. Klöppel, A. Hemprich
Therapie ausgeprägter Mittelgesichtsrücklagen mit Hilfe der Distraktionsosteogenese
Mund Kiefer GesichtsChir 2003, 1-2003, S. 7 ff

3) T. Hierl , T. Primm, R. Klöppel, A. Hemprich
Distraktionsosteogenese im Mittelgesichtsbereich
Quitessenz 51, 3, S. 247-256, 2000

4) T. Hierl , T. Primm, R. Klöppel, A. Hemprich
Einsatz der Kallusdistraktion bei ausgeprägter Mittelgesichtshypoplasie
Dtsch. Zahnärztliche Zeitung Z 55 (2000), S. 359-362

English:

1) Polley, J.W., Figueroa, A.A.
Management of Severe Maxillary Deficiency in Childhood and Adolescence through
Distraction Osteogenesis with an External, Adjustable, Rigid Distraction Device.
The Journal of Craniofacial Surgery, 8, (3)
181-185, May 1997.

2) Polley, J.W., Figueroa, A.A.
The Management of Cleft Maxillary Hypoplasia with (RED) Rigid External Distraction.
Proceedings of the International Congress on Distraction Osteogenesis of the Facial
and Cranial Bones.
Paris, France, June 19 – 21, 1997. 255-260.

3) Polley, J.W., Figueroa, A.A., Hong, K.F., Huang, C.S.,
Distraction Osteogenesis in the Treatment of Cleft Maxillary Deformities.
Plastic Surgical Forum XX 127-131, 1997.

4) Polley, J.W., Figueroa, A.A.
Midface Osteodistraktion-Commentary on Midface Advancement by Bone Distraction
and Distraction Osteogenesis and its Application to the Midface and Bony Orbit in the
Craniosynostosis Syndromes.
The Journal of Craniofacial Surgery. 9, (2) 119-122, March 1998.

5) Polley, J.W., Figueroa, A.A.
Rigid External Distraction (RED): It's application in cleft maxillary deformities.
The Journal of Plastic and Reconstructive Surgery, 102 (5). 1360-1372. October 1998.

6) Polley, J.W., Ko, E.W., Figueroa, A.A., Guyette, T.W., Law, W.R.
Velopharyngeal Changes After Maxillary Advancement in Cleft Patients with Distraction
Osteogenesis Using a Rigid External Distraction Device:
A 1-Year Cephalometric Follow-up.
The Journal of Craniofacial Surgery, 1999; 10:4:312-320.

- 7) Polley, J.W.
Commentary on Maxillary Distraction in Cleft Lip Palate Patients:
A Review of Six Cases.
The Journal of Craniofacial Surgery, 1999; 10: 4: 329.
- 8) Polley, J.W., Figueroa, A.A.
Maxillary Distraction Osteogenesis with Rigid External Distraction.
Atlas of the Oral and Maxillofacial Surgery Clinics of North America, 1999; Volume 7: 1.
- 9) Figueroa, AA, Polley, JW
Orthodontic procedure for maxillary distraction.
In International Congress on Cranial and Facial Bone Distraction Processes.
- 10) Figueroa, A.A., Polley, J.W.
Management of severe cleft maxillary deficiency with distraction Osteogenesis:
Procedure and Results. Amer. J. Orthod. Dentofacial Orthop., 1999; 115:1-12.
- 11) Figueroa, A.A., Polley, J.W., Ko, E.W.-C.
Maxillary distraction for the management of cleft maxillary hypoplasia with a rigid
external distraction system.
Seminars in Orthodontics, 1999; 5: 46-51.
- 12) Ko, E.W., Figueroa, A.A., Guyette, T.W., Polley, J.W., Law, W.R.
Velopharyngeal changes after maxillary advancement in cleft patients with distraction
Osteogenesis using a rigid external distraction device:
A 1-year cephalometric follow-up.
Jour Craniofac Surg, 1999; 10: 312-320.
- 13) Figueroa, A.A., Polley, J.W.
Management of severe cleft maxillary deficiency with distraction osteogenesis;
procedure and results
Am J Orthod Dentofac Orthop 1999, 115:1-12
- 14) Hierl, T.; Hemprich, A.
Callus distraction of the midface in severely atrophied maxilla - a case report
Cleft Palate Craniofac J 36 (1999), 457-461
- 15) Hierl, T.; Hemprich, A.
A novel modular retention system for midfacial distraction osteogenesis
Br J Oral Maxillofac Burg (2000) 38, 623-626
- 16) Hierl, T., Primm, T., Klöppel, R., Hemprich, A.
Distractionsosteogenese im Mittelgesichtsbereich.
Grundlagen und klinische Anwendung
Quintessenz 51 (2000), 247-256
- 17) Hierl, T.; Primm, T.; Klöppel, R.; Hemprich, A.
Einsatz der Kallusdistraction bei ausgeprägter Mittelgesichtshypoplasie
Dtsch Zahnärztl. Z 55 (2000), 359-362
- 18) Polley J.W., Figueroa A.A.
Rigid external distraction: Its application in cleft maxillary deformities.
Plast Reconstr Surg 1998; 102; 1360-1372

- 19) P. Kessler, J. Wiltfang, S. Schultze-Mosgau, F. W. Neukam
Distraction osteogenesis of the maxilla and midface using a subcutaneous device:
report of four cases
British Journal of Oral and Maxillofacial Surgery, 2001, p. 13-21
- 20) A.A. Figueroa, J. W. Polley
Management of severe cleft maxillary deficiency with distraction osteogenesis:
Procedure and results
American Journal of Orthodontics, Vol 5, No.1, March 1999, p. 46-51
- 21) A. A. Figueroa, J. W. Polley, E. Ko
Distraction Osteogenesis of Severe Cleft Maxillary Deficiency with the RED Technique
In: M. L. Samchukov, J.B. Cope, A.B. Cheraskin: Craniofacial Distraction
Osteogenesis, 2001, p. 485 - 494
- 22) S. Reinert, M. Krimmel, C.-P. Cornelius, M. Roser, M. Bacher
Rigid External Distraction of the Maxilla: Technique and Clinical Cases
In: M. L. Samchukov, J.B. Cope, A.B. Cheraskin: Craniofacial Distraction
Osteogenesis, 2001, p. 501 - 494
- 23) H. C. Schwartz, J. Beumer III
Three Dimensional Midface Distraction
In: M. L. Samchukov, J.B. Cope, A.B. Cheraskin: Craniofacial Distraction
Osteogenesis, 2001, p. 506 - 511
- 24) D. Riediger, Jules M.N. Poukens
Le Fort III Osteotomy a new internal positioned distractor,
American Association of Oral- Maxillofacial Surgery, 2003
P. 882 - 889

c) Alveolar, vertical Distraction

- 1) Ackermann K.-L., Kirsch A., Neuendorff G., Filderstadt H., Nagel R.
Alveolarkammdefekte behandeln – Knochen und Weichgewebe werden simultan
erweitert: Alveolarkamm distraction in der anterioren Maxilla
DZW-Spezial, Zahnmedizin, 5 (2002), 55-58
- 2) Bier A.
Über Knochenregeneration und über Pseudarthrosen
Arch f Klein Chir 127, 1 (1927)
- 3) Block M.S.: Chang A., Crawford C.
Mandibular alveolar ridge augmentation in the dog using distraction Osteogenesis
J. Oral Maxillofacial Surgery 54 (3), 309-14 (1996)
- 4) Chiapasco M., Brusati R., Galioto S.
Distraction Osteogenesis of a Fibular Revascularized Flap for Improvement of Oral
Implant Positioning in a Tumor Patient – A Case Report
J. Oral Max. Fac Surgery 58 (2000), 1434-1440

- 5) Chiapasco M., Romeo E., Vogel G.
Vertical Distraction Osteogenesis of Edentulous Ridges For Improvement of Oral Implant Positioning – A Clinical Report of Preliminary Results
Int. J. of Oral & Max.Fac Implants, Volume 16, Nr. 1 (2001)
- 6) Chin M., Toth, B.A.
Distraction Osteogenesis in Maxillofacial Surgery Using Internal Devices
J. Oral Maxillofacial Surgery 54 45 – 53 (1996)
- 7) Dausse T., Laffargue P., Jaquet N.
Intérêt de la Distraction Alvéolaire Pré-Implantaire dans les Reconstructions Maxillo-Faciales Complexes
Revue trimestrielle d´implantologie orale XX (XXXX) 37-40
- 8) Gabriele A. Millesi-Schobel, Millesi W., Glaser C., Watzinger F., Klug C., Ewers R.
The L-shaped osteotomy for vertical callus distraction in the molar region of the mandible
J. Cranio Max.Fac Surgery 28 (2000), 176-180
- 9) Hidding J., Lazar F., Zöller J. E.
The Vertical Distraction of the Alveolar Bone
J. Cranio Max.Fac Surgery 26, Suppl 1, (1998), 72-73
- 10) Hidding J., Zöller J. E.
Alveolar Bone Distraction
Atlas of Craniomaxillofacial Osteogenesis
Miniplates, Microplates and Screws
Ed.: F. Härle, M. Champy and B. Terry, Thieme Stuttgart New York (1999)
- 11) Hidding J., Lazar F., Zöller J. E.
Erste Ergebnisse bei der Distraktionsosteogenese des atrophischen Alveolarkamms
Mund Kiefer Gesichts Chir 3, Suppl (1999)
- 12) Hidding J., Lazar F., Zöller J. E.
Knöcherne Regeneration des Unterkieferalveolarfortsatzes mit Hilfe der vertikalen Kallusdistraktion
Deutsch Zahnärztl. Z. 54 (1999), 51-54
- 13) Hoffmann M.
Die vertikale Alveolarkammdistraktion – Vorgehen, Prognose
BZB 5 (2003) BLZK & KZVB
- 14) Hoffmann M.
Die Atrophie des Kieferkamms – Vom Knochentransfer zur Kallusdistraktion
ZMK 18, 9 (2002), 572-580
- 15) Ilizarov, G.A.
Basic principles of transosseous compression and distraction osteosynthesis
Orthop Travmatol Protez 30, 7 (1971)
- 16) Ilizarov G.A.
The Principles of the Ilizarov Method
Bull. Hospital Joint Dis. Orthop. Inst. 48, 1 (1988)

- 17) Ilizarov G.A.
The tension-stress effect on the genesis and growth of tissues: part I.
The influence of stability of fixation and soft tissue preservation
Clin. Orthop. 238 (1989a), 249-281
- 18) Ilizarov G.A.
The tension-stress effect on the genesis and growth of tissues: part II.
The influence of the rate and frequency of distraction
Clin. Orthop. 239 (1989b), 263-285
- 19) Khoury F.
Augmentation osseuse et chirurgie implantaire
Implant, Volume 5, Numéro 4 (1999)
- 20) Klesper B., Lazar F., Siessegger M., Hidding J., Zöller J. E.
Vertical distraction osteogenesis of fibula transplants for mandibular reconstruction
J. Cranio Max.Fac Surgery 10 (2002); 30 (5)
- 21) Klug C., Gabriele A. Millesi-Schobel, Millesi W., Watzinger F., Ewers R.
Preprosthetic Vertical Distraction Osteogenesis of the Mandible Using an L-Shaped
Osteotomy and Titanium Membrane for Guided Bone Regeneration
J. Oral Maxillofacial Surgery 59 (2001), 1302-1308
- 22) Lazar F., Zöller J. E., Hidding J.
Die vertikale Kieferkammdistraktion – Eine neue Operationstechnik zum Aufbau des
höhengeminderten Kieferknochens vor der Implantation
Implantologie 3 (2000), 255-265
- 23) Lazar F., Zöller J. E., Hidding J.
Mikro- und Makrodistraktion am Kiefer – Eine sichere Methode der Knochengewinnung
Mund Kiefer Gesichts Chir 4, Suppl 2 (2000), 432-437
- 24) Neugebauer J., Lazar F., Hidding J., Kübler A., Zöller J. E.
Mise en Place d´Implants après Distraction Osseuse sur des Patients Atteints de
Défauts Osseux d´Origine Tumorale
Revue trimestrielle d´implantologie orale 44 (2002), 29-33
- 25) Robiony M., Polini F., Costa F., Politi M.
Osteogenesis Distraction and Platelet-Rich Plasma for Bone Restoration of the
Severely Atrophic Mandible
J. Oral Maxillofac Surgery 60 (2002), 630-635

d) Transversal mandibular Distraction

- 1) C.A. Guerrero, W.H. Bell, G.I. Contasti, A.M. Rodriguez
Mandibular widening by intraoral distraction osteogenesis
British Journal of Oral and Maxillofacial Surgery 1997, 35-383-392
- 2) W.H. Bell, M. Gonzalez, M. L. Sanchukow and C. Guerrero
Intraoral widening and lengthening of the mandible in Baboons by distraction osteogenesis
Journal of Oral and Maxillofacial Surgery, 57: 548-562, 1999
- 3) W.H. Bell ; R.P. Harper; M. Gonzalez; A.M. Cherkashin; M.L. Samchukow
Distraction osteogenesis to widen the mandible
British Journal of Oral and Maxillofacial Surgery; 35; 1; 11-9; 1997 Feb; 9707
- 4) R.S. Kisniski, S.D. Fowel, B.N. Epker
Distraction Osteogenesis in Silver Russel syndrome to expand the mandible
AM J Orthod Dentofacial Orthop 1999 Jul; 116+(1):25-30
- 5) C.A. Guerrero; W.H. Bell; G.I. Contasti; A.M. Rodriguez
Mandibular widening by intraoral distraction osteogenesis
British Journal of Oral and Maxillofacial Surgery; 35; 6; 383-92; 1997 Dec; 9805
- 6) C. Tomat, P. A. Diner, F. Coquille, B. Sergent, M.-P. Vazquez
Mandibular Symphyseal Widening by Distraction
in Samchukow Distraction Osteogenesis S. 256-262

e) Transport Distraction

- 1) A. S. Herford
Use of a Plate-Guided Distraction Device for Transport Distraction Osteogenesis of the Mandible
American Association of Oral and Maxillofacial Surgeons, 2004, p. 412 – 420
- 2) S.B. Holmes, K.M. Coghlan, L. Newman
Distraction Osteogenesis of the Mandible in the previously irradiated patient
American Association of Oral and Maxillofacial Surgeons, 2002, p. 305 – 309
- 3) A. Muhonen, J. Muhonen, T.C. Lindholm, H. Minn, J. Klossner, J. Kulmala, R.-P. Happonen
Osteodistraction of a previously irradiated mandible with or without adjunctive hyperbaric oxygenation: An experimental study in rabbits
Int. Journal of Oral Maxillofacial Surgery 2002; 31: p. 519 -524